

Select HIT Citations

Brent Fox

foxbren@auburn.edu

Twitter: @Brent_Fox

1. Amarasingham R, Plantinga L, Diener-West M, Gaskin DJ, Powe N. Clinical Information Technologies and Inpatient Outcomes: A Multiple Hospital Study. *Archives of Internal Medicine* 2009;169(2):108-14.
2. Ammenwerth E, de Keizer N. A Viewpoint on Evidence-based Health Informatics, Based on a Pilot Survey on Evaluation Studies in Health Care Informatics. *Journal of the American Medical Informatics Association* 2007;14(3):368-71.
3. Ammenwerth E, Schnell-Inderst P, Machan C, Siebert U. The Effect of Electronic Prescribing on Medication Errors and Adverse Drug Events: A Systematic Review. In: *Journal of the American Medical Informatics Association*; 2008:585-600.
4. Ammenwerth E, Talmon J, Ash JS, Bates DW, Beuscart-Zephir M, Duhamel A. Impact of CPOE on Mortality Rates - Contradictory Findings, Important Messages. *Methods of Information in Medicine* 2006;45:586-94.
5. Anderson JG, Jay SJ, Anderson M, Hunt TJ. Evaluating the capability of information technology to prevent adverse drug events: A computer simulation approach. *Journal of the American Medical Informatics Association* 2002;9(5):479-90.
6. Ash JS, Sittig DF, Dykstra R, Campbell E, Guappone K. The unintended consequences of computerized provider order entry: Findings from a mixed methods exploration. *International journal of medical informatics* 2008.
7. Barker K, Heller W, Brennan J, Sheldon E. The development of a centralized unit dose dispensing system, Part Six: The pilot study - medication errors and drug losses. *American Journal of Hospital Pharmacy* 1964;21:609-24.
8. Barker K, Heller W, Brennan J, Sheldon E. The development of a centralized unit dose dispensing system, Part Three: An editing center for physicians' medication orders. *American Journal of Hospital Pharmacy* 1964;21:66-77.
9. Barker KN, Pearson RE, Hepler CD, Smith WE, Pappas CA. Effect of an automated bedside dispensing machine on medication errors. *American journal of hospital pharmacy* 1984;41(7):1352-8.
10. Barza M. Criticisms of computer-assisted antibiotic management program. *Infect Dis Clin Pract* 1998;7:368.
11. Bates DW. Using information technology to reduce rates of medication errors in hospitals. *BMJ* 2000;320(7237):788-91.
12. Bates DW, Cullen DJ, Laird N, et al. Incidence of Adverse Drug Events and Potential Adverse Drug Events - Implications for Prevention. *JAMA* 1995;274(1):29-34.
13. Bates DW, Evans RS, Murff H, Stetson PD, Pizziferri L, Hripcsak G. Detecting Adverse Events Using Information Technology. In: *Journal of the American Medical Informatics Association*; 2003:115-28.
14. Bates DW, Leape LL, Cullen DJ, et al. Effect of Computerized Physician Order Entry and a Team Intervention on Prevention of Serious Medication Errors. In: *JAMA*; 1998:1311-6.
15. Bates DW, Teich JM, Lee J, et al. The impact of computerized physician order entry on medication error prevention. *Journal of the American Medical Informatics Association* 1999;6(4):313-21.
16. Bizovi KE, Beckley BE, McDade MC, et al. The effect of computer-assisted prescription writing on emergency department prescription errors. *Academic Emergency Medicine* 2002;9(11):1168-75.

17. Bonnabry P, Despont-Gros C, Grauser D, et al. A risk analysis method to evaluate the impact of a computerized provider order entry system on patient safety. *Journal of the American Medical Informatics Association* 2008;15(4):453-60.
18. Burke J, Pestotnik S. Antibiotic use and microbial resistance in intensive care units: impact of computer-assisted decision support. *J Chemother* 1999;11(6):530-5.
19. Campbell EM, Sittig DF, Ash JS, Guappone KP, Dykstra RH. Types of Unintended Consequences Related to Computerized Provider Order Entry. In: *Journal of the American Medical Informatics Association*; 2006:547-56.
20. Chang IC, Hwang H-G, Hung W-F, Li Y-C. Physicians' acceptance of pharmacokinetics-based clinical decision support systems. *Expert Systems with Applications* 2007;33(2):296-303.
21. Chaudhry B, Wang J, Wu S, et al. Systematic Review: Impact of Health Information Technology on Quality, Efficiency, and Costs of Medical Care. In; 2006:742-52.
22. Chertow GM, Lee J, Kuperman GJ, et al. Guided medication dosing for inpatients with renal insufficiency. *JAMA : the journal of the American Medical Association* 2001;286(22):2839-44.
23. Chrischilles EA, Fulda TR, Byrns PJ, Winckler SC, Rupp MT, Chui MA. The role of pharmacy computer systems in preventing medication errors. *J Am Pharm Assoc (Wash)* 2002;42(3):439-48.
24. Cina J, Fanikos J, Mitton P, McCrea M, Churchill W. Medication errors in a pharmacy-based bar-code-repackaging center. In: *American Journal of Health-System Pharmacy*; 2006:165-8.
25. Classen D, Pestotnik S, Evans R, Burke J, Battles J. Computerized surveillance of adverse drug events in hospital patients. *Quality and Safety in Health Care* 2005;14:221-6.
26. Cochran GL, Jones KJ, Brockman J, Skinner A, Hicks RW. Errors Prevented by and Associated with Bar-Code Medication Administration Systems. *Joint Commission Journal on Quality and Patient Safety* 2007;33:293-301.
27. Collin S, Reeves BC, Hendy J, Fulop N, Hutchings A, Priedane E. Implementation of computerised physician order entry (CPOE) and picture archiving and communication systems (PACS) in the NHS: quantitative before and after study. In: *British Medical Journal*; 2008:a939-.
28. Conroy S, Sweis D, Planner C, et al. Interventions to reduce dosing errors in children: a systematic review of the literature. *Drug safety : an international journal of medical toxicology and drug experience* 2007;30(12):1111-25.
29. Cordero L, Kuehn L, Kumar RR, Mekhjian HS. Impact of Computerized Physician Order Entry on Clinical Practice in a Newborn Intensive Care Unit. *J Perinatol* 2004;24(2):88-93.
30. Dean BS, Allan EL, Barber ND, et al. Comparison of medication errors in an American and a British hospital. *American Journal of Health-System Pharmacy* 1995;52(22):2543-9.
31. Del Beccaro MA, Jeffries HE, Eisenberg MA, Harry ED. Computerized Provider Order Entry Implementation: No Association With Increased Mortality Rates in an Intensive Care Unit. In: *Pediatrics*; 2006:290-5.
32. Donyai P, O'Grady K, Jacklin A, et al. The effects of electronic prescribing on the quality of prescribing. *British Journal of Clinical Pharmacology* 2008;65(2):230-7.
33. Egualé T, Tamblyn R, Winslade N, Buckeridge D. Detection of adverse drug events and other treatment outcomes using an electronic prescribing system. *Drug Safety* 2008;31(11):1005-16.
34. Eslami S, Abu-Hanna A, de Keizer NF. Evaluation of outpatient computerized physician medication order entry systems: a systematic review. *Journal of the American Medical Informatics Association* 2007;14(4):400-6.
35. Fanikos J, Fiumara K, Baroletti S, et al. Impact of smart infusion technology on administration of anticoagulants (unfractionated Heparin, Argatroban, Lepirudin, and Bivalirudin). *The American journal of cardiology* 2007;99(7):1002-5.

36. Ferranti J, Horvath MM, Cozart H, Whitehurst J, Eckstrand J. Reevaluating the Safety Profile of Pediatrics: A Comparison of Computerized Adverse Drug Event Surveillance and Voluntary Reporting in the Pediatric Environment. In: Pediatrics; 2008:e1201-7.
37. Fields M, Peterman J. Intravenous medication safety system averts high-risk medication errors and provides actionable data. Nursing administration quarterly 2005;29(1):78-87.
38. Fischer MA, Vogeli C, Stedman M, et al. Effect of electronic prescribing with formulary decision support on medication use and cost. Archives of internal medicine 2008;168(22):2433-9.
39. FitzHenry F, Peterson JF, Arrieta M, Waitman LR, Schildcrout JS, Miller RA. Medication Administration Discrepancies Persist Despite Electronic Ordering. In: Journal of the American Medical Informatics Association; 2007:756-64.
40. Franklin BD, O'Grady K, Donyai P, Jacklin A, Barber N. The impact of a closed-loop electronic prescribing and administration system on prescribing errors, administration errors and staff time: a before-and-after study. In: Quality and Safety in Health Care; 2007:279-84.
41. Gandhi TK, Burstin HR, Cook EF, et al. Drug complications in outpatients.[see comment]. Journal of General Internal Medicine 2000;15(3):149-54.
42. Gandhi TK, Weingart SN, Borus J, et al. Adverse drug events in ambulatory care. The New England journal of medicine 2003;348(16):1556-64.
43. Gaunt MJ, Johnston J, Davis MM. Automated dispensing cabinets. Don't assume they're safe; correct design and use are crucial. The American journal of nursing 2007;107(8):27-8.
44. Goldzweig CL, Towfigh A, Maglione M, Shekelle PG. Costs and benefits of health information technology: new trends from the literature. Health affairs (Project Hope) 2009;28(2):w282-93.
45. Gordon JO, Hadsall RS, Schommer JC. Automated medication-dispensing system in two hospital emergency departments. American journal of health-system pharmacy : AJHP : official journal of the American Society of Health-System Pharmacists 2005;62(18):1917-23.
46. Halamka JD. Health Information Technology: Shall We Wait for the Evidence? In: Annals of Internal Medicine; 2006:775-6.
47. Han YY, Carcillo JA, Venkataraman ST, et al. Unexpected Increased Mortality After Implementation of a Commercially Sold Computerized Physician Order Entry System. In: Pediatrics; 2005:1506-12.
48. Handler SM, Altman RL, Perera S, et al. A Systematic Review of the Performance Characteristics of Clinical Event Monitor Signals Used to Detect Adverse Drug Events in the Hospital Setting. In: JAMIA; 2007:451-8.
49. Harrison MI, Koppel R, Bar-Lev S. Unintended Consequences of Information Technologies in Health Care An Interactive Sociotechnical Analysis. journal of the American Medical Informatics Association 2007;14(5):542-9.
50. Holdsworth MT, Fichtl RE, Raisch DW, et al. Impact of Computerized Prescriber Order Entry on the Incidence of Adverse Drug Events in Pediatric Inpatients. In: Pediatrics; 2007:1058-66.
51. Hollingworth W, Devine EB, Hansen RN, et al. The impact of e-prescribing on prescriber and staff time in ambulatory care clinics: a time motion study. Journal of the American Medical Informatics Association 2007;14(6):722-30.
52. Hsieh TC, Kuperman GJ, Jaggi T, et al. Characteristics and consequences of drug allergy alert overrides in a computerized physician order entry system.[see comment]. Journal of the American Medical Informatics Association 2004;11(6):482-91.
53. Hunt DL, Haynes RB, Hanna SE, Smith K. Effects of computer-based clinical decision support systems on physician performance and patient outcomes: a systematic review. JAMA : the journal of the American Medical Association 1998;280(15):1339-46.

54. Huntman L, Ward L, Read D, Jolly M, Heckman M. Analysis of allergy alerts within a computerized prescriber order entry system. *American Journal of Health-System Pharmacy* 2009;66:373-7.
55. Husch M, Sullivan C, Rooney D, et al. Insights from the sharp end of intravenous medication errors: implications for infusion pump technology. *Quality & Safety in Health Care* 2005;14(2):80-6.
56. Hwang S-H, Sukhyan L, Hyun-Kyung K, Yoon K. Evaluation of a computer-based adverse-drug-event monitor. *American Journal of Health-System Pharmacy* 2008;65(23):2265-72.
57. Jani YH, Ghaleb MA, Marks SD, Cope J, Barber N, Wong ICK. Electronic prescribing reduced prescribing errors in a pediatric renal outpatient clinic.[see comment]. *Journal of Pediatrics* 2008;152(2):214-8.
58. Jha AK, Kuperman GJ, Teich JM, et al. Identifying Adverse Drug Events: Development of a Computer-based Monitor and Comparison with Chart Review and Stimulated Voluntary Report. In: *Journal of the American Medical Informatics Association*; 1998:305-14.
59. Jha AK, Laguetta J, Seger A, Bates DW. Can Surveillance Systems Identify and Avert Adverse Drug Events? A Prospective Evaluation of a Commercial Application. In: *Journal of the American Medical Informatics Association*; 2008:647-53.
60. Johnson CL, Carlson RA, Tucker CL, et al. Using BCMA software to improve patient safety in Veterans Administration Medical Centers. *Journal of Healthcare Information Management* 2002;16(1):46-51.
61. Kaplan B, Harris-Salamone KD. Health IT Project Success and Failure: Recommendations from Literature and an AMIA Workshop. *J Am Med Inform Assoc* 2009:M2997.
62. Kaushal R, Jha AK, Franz C, et al. Return on investment for a computerized physician order entry system.[see comment]. *Journal of the American Medical Informatics Association* 2006;13(3):261-6.
63. Kaushal R, Shojania KG, Bates DW. Effects of Computerized Physician Order Entry and Clinical Decision Support Systems on Medication Safety: A Systematic Review. In: *Archives of Internal Medicine*; 2003:1409-16.
64. Kilbridge PM, Campbell UC, Cozart HB, Mojarrad MG. Automated Surveillance for Adverse Drug Events at a Community Hospital and an Academic Medical Center. In: *JAMIA*; 2006:372-7.
65. King WJ, Paice N, Rangrej J, Forestell GJ, Swartz R. The Effect of Computerized Physician Order Entry on Medication Errors and Adverse Drug Events in Pediatric Inpatients. In: *Pediatrics*; 2003:506-9.
66. Klein EG, Santora JA, Pascale PM, Kitrenos JG. Medication cart-filling time, accuracy, and cost with an automated dispensing system. *American journal of hospital pharmacy* 1994;51(9):1193-6.
67. Klibanov OM, Eckel SF. Effects of automated dispensing on inventory control, billing, workload, and potential for medication errors. *American journal of health-system pharmacy : AJHP : official journal of the American Society of Health-System Pharmacists* 2003;60(6):569-72.
68. Koppel R, Metlay JP, Cohen A, et al. Role of computerized physician order entry systems in facilitating medication errors. *JAMA* 2005;293(10):1197-203.
69. Koppel R, Wetterneck T, Telles JL, Karsh B-T. Workarounds to Barcode Medication Administration Systems: Their Occurrences, Causes, and Threats to Patient Safety. *Journal of the American Medical Informatics Association* 2008;15(4):408-23.
70. Kuehn BM. IT vulnerabilities highlighted by errors, malfunctions at Veterans' Medical Centers. *JAMA : the journal of the American Medical Association* 2009;301(9):929-0.
71. Kuperman GJ, Bobb A, Payne TH, et al. Medication-related clinical decision support in computerized provider order entry systems: a review.[see comment]. *Journal of the American Medical Informatics Association* 2007;14(1):29-40.
72. Larrabee S, Brown M-M. Recognizing the Institutional Benefits of Bar-Code Point-of-Care Technology. *Joint Commission Journal on Quality and Patient Safety* 2003;29:345-53.

73. Larsen GY, Parker HB, Cash J, et al. Standard drug concentrations and smart-pump technology reduce continuous-medication-infusion errors in pediatric patients. *Pediatrics* 2005;116(1):e21-5.
74. Lawton G, Shields A, Lawton G, Shields A. Bar-code verification of medication administration in a small hospital. *American Journal of Health-System Pharmacy* 2005;62(22):2413-5.
75. Leape LL. "Smart" pumps: A cautionary tale of human factors engineering. *Critical Care Medicine* 2005;33(3):679-80.
76. Lee LW, Wellman GS, Birdwell SW, Sherrin TP. Use of an automated medication storage and distribution system. *American journal of hospital pharmacy* 1992;49(4):851-5.
77. Lin CP, Payne TH, Nichol WP, Hoey PJ, Anderson CL, Gennari JH. Evaluating Clinical Decision Support Systems: Monitoring CPOE Order Check Override Rates in the Department of Veterans Affairs' Computerized Patient Record System. *J Am Med Inform Assoc* 2008;15(5):620-6.
78. Mahoney CD, Berard-Collins CM, Coleman R, Amaral JF, Cotter CM. Effects of an integrated clinical information system on medication safety in a multi-hospital setting. *American journal of health-system pharmacy : AJHP : official journal of the American Society of Health-System Pharmacists* 2007;64(18):1969-77.
79. Malashock CM, Shull SS, Gould DA. Effect of smart infusion pumps on medication errors related to infusion device programming. *Hospital Pharmacy* 2004;39(5):460-9.
80. Matheny ME, Sequist TD, Seger AC, et al. A Randomized Trial of Electronic Clinical Reminders to Improve Medication Laboratory Monitoring. In: *Journal of the American Medical Informatics Association*; 2008:424-9.
81. Maviglia SM, Yoo JY, Franz C, et al. Cost-Benefit Analysis of a Hospital Pharmacy Bar Code Solution. In: *Archives of Internal Medicine*; 2007:788-94.
82. McConnell W, Barker K, Garrity L. Centralized unit-dose dispensing: Report of a study. *American Journal of Hospital Pharmacy* 1961;18:530-41.
83. McDonald CJ, McDonald CJ. Computerization can create safety hazards: a bar-coding near miss.[see comment][erratum appears in *Ann Intern Med*. 2006 Aug 1;145(3):235]. *Annals of Internal Medicine* 2006;144(7):510-6.
84. McPhillips HA, Stille CJ, Smith D, et al. Potential medication dosing errors in outpatient pediatrics.[see comment]. *Journal of Pediatrics* 2005;147(6):761-7.
85. Mekhjian HS, Kumar RR, Kuehn L, et al. Immediate Benefits Realized Following Implementation of Physician Order Entry at an Academic Medical Center. In: *Journal of the American Medical Informatics Association*; 2002:529-39.
86. Menachemi N, Saunders C, Chukmaitov A, Matthews MC, Brooks RG. Hospital adoption of information technologies and improved patient safety: a study of 98 hospitals in Florida. *Journal of healthcare management / American College of Healthcare Executives* 2007;52(6):398-409; discussion 10.
87. Miller RA, Gardner RM, Johnson KB, et al. Clinical decision support and electronic prescribing systems: a time for responsible thought and action.[comment]. *Journal of the American Medical Informatics Association* 2005;12(4):403-9.
88. Morimoto T, Gandhi TK, Seger AC, et al. Adverse drug events and medication errors: detection and classification methods. *Quality & Safety in Health Care* 2004;13(4):306-14.
89. Morriss Jr FH, Abramowitz PW, Nelson SP, et al. Effectiveness of a Barcode Medication Administration System in Reducing Preventable Adverse Drug Events in a Neonatal Intensive Care Unit: A Prospective Cohort Study. *The Journal of Pediatrics* 2008;In Press, Corrected Proof.
90. Murff HJ, Patel VL, Hripcsak G, Bates DW. Detecting adverse events for patient safety research: a review of current methodologies. *Journal of Biomedical Informatics* 2003;36(1-2):131-43.
91. Murray MD, Harris LE, Overhage JM, et al. Failure of computerized treatment suggestions to improve health outcomes of outpatients with uncomplicated hypertension: results of a randomized controlled trial. *Pharmacotherapy* 2004;24(3):324-37.

92. Nebeker JR, Hoffman JM, Weir CR, Bennett CL, Hurdle JF. High Rates of Adverse Drug Events in a Highly Computerized Hospital. In: Archives of Internal Medicine; 2005;1111-6.
93. Niemi K, Geary S, Quinn B, Larrabee M, Brown K. Implementation and evaluation of electronic clinical decision support for compliance with pneumonia and heart failure quality indicators. American Journal of Health-System Pharmacy 2009;66(4):389-97.
94. Nuckols TK, Bower AG, Paddock SM, et al. Programmable infusion pumps in ICUs: an analysis of corresponding adverse drug events. Journal of General Internal Medicine 2008;23 Suppl 1:41-5.
95. Oliven A, Michalake I, Zalman D, Dorman E, Yeshurun D, Odeh M. Prevention of prescription errors by computerized, on-line surveillance of drug order entry. International journal of medical informatics 2005;74(5):377-86.
96. Oren E, Shaffer ER, Guglielmo BJ. Impact of emerging technologies on medication errors and adverse drug events. Am J Health Syst Pharm 2003;60(14):1447-58.
97. Overhage JM, Tierney WM, Zhou X-H, McDonald CJ. A Randomized Trial of "Corollary Orders" to Prevent Errors of Omission. In: Journal of the American Medical Informatics Association; 1997:364-75.
98. Paoletti RD, Suess TM, Lesko MG, et al. Using bar-code technology and medication observation methodology for safer medication administration. In: American Journal of Health-System Pharmacy; 2007:536-43.
99. Paparella S. Automated medication dispensing systems: not error free. Journal of emergency nursing: JEN : official publication of the Emergency Department Nurses Association 2006;32(1):71-4.
100. Papshev D, Peterson AM, Papshev D, Peterson AM. Electronic prescribing in ambulatory practice: promises, pitfalls, and potential solutions. American Journal of Managed Care 2001;7(7):725-36.
101. Paterno MD, Maviglia SM, Gorman PN, et al. Tiering drug-drug interaction alerts by severity increases compliance rates. Journal of the American Medical Informatics Association 2009;16(1):40-6.
102. Patterson ES, Cook RI, Render ML. Improving Patient Safety by Identifying Side Effects from Introducing Bar Coding in Medication Administration. In; 2002:540-53.
103. Patterson ES, Rogers ML, Chapman RJ, et al. Compliance with intended use of Bar Code Medication Administration in acute and long-term care: an observational study. Human Factors 2006;48(1):15-22.
104. Peterson JF, Kuperman GJ, Shek C, et al. Guided prescription of psychotropic medications for geriatric inpatients. Archives of Internal Medicine 2005;165(7):802-7.
105. Phillips MT, Berner ES, Phillips MT, Berner ES. Beating the system--pitfalls of bar code medication administration. Journal of Healthcare Information Management 2004;18(4):16-8.
106. Poon E. The use of bar code technology to improve medication safety: Reviewing the evidence. Hospital Pharmacy 2003;38(11):S5-S6.
107. Poon EG, Cina JL, Churchill W, et al. Medication dispensing errors and potential adverse drug events before and after implementing bar code technology in the pharmacy. Ann Intern Med 2006;145(6):426-34.
108. Poon EG, Cina JL, Churchill WW, et al. Effect of bar-code technology on the incidence of medication dispensing errors and potential adverse drug events in a hospital pharmacy. AMIA Annual Symposium proceedings / AMIA Symposium 2005:1085.
109. Potts AL, Barr FE, Gregory DF, Wright L, Patel NR. Computerized Physician Order Entry and Medication Errors in a Pediatric Critical Care Unit. In: Pediatrics; 2004:59-63.
110. Raschke RA, Gollihare B, Wunderlich TA, et al. A Computer Alert System to Prevent Injury From Adverse Drug Events: Development and Evaluation in a Community Teaching Hospital. In: JAMA; 1998:1317-20.
111. Ray MD, Aldrich LT, Lew PJ. Experience with an automated point-of-use unit-dose drug distribution system. Hospital pharmacy 1995;30(1):18, 20-3, 7.

112. Reichley RM, Seaton TL, Resetar E, et al. Implementing a Commercial Rule Base as a Medication Order Safety Net. In: Journal of the American Medical Informatics Association; 2005:383-9.
113. Romero AV, Malone DC. Accuracy of adverse-drug-event reports collected using an automated dispensing system. American journal of health-system pharmacy : AJHP : official journal of the American Society of Health-System Pharmacists 2005;62(13):1375-80.
114. Rothschild JM, Keohane CA, Cook EF, Orav EJ, Bates DW, et al. A controlled trial of smart infusion pumps to improve medication safety in critically ill patients. Critical Care Medicine 2005;33(3):533-40.
115. Sakowski J, Leonard T, Colburn S, et al. Using a bar-coded medication administration system to prevent medication errors in a community hospital network. American Journal of Health-System Pharmacy 2005;62(24):2619-25.
116. Sakowski J, Newman JM, Dozier K. Severity of medication administration errors detected by a bar-code medication administration system. In: American Journal of Health-System Pharmacy; 2008:1661-6.
117. Schiff GD. Computerized prescriber order entry: models and hurdles. Am J Health Syst Pharm 2002;59(15):1456-60.
118. Schwarz HO, Brodowy BA. Implementation and evaluation of an automated dispensing system. American journal of health-system pharmacy : AJHP : official journal of the American Society of Health-System Pharmacists 1995;52(8):823-8.
119. Seger AC, Jha AK, Bates DW, Seger AC, Jha AK, Bates DW. Adverse drug event detection in a community hospital utilising computerised medication and laboratory data. Drug Safety 2007;30(9):817-24.
120. Shah NR, Seger AC, Seger DL, Fiskio JM, Gandhi YK, et al. Improving acceptance of computerized prescribing alerts in ambulatory care. Journal of the American Medical Informatics Association 2006;13(1):5-11.
121. Shah NR, Seger AC, Seger DL, et al. Improving override rates for computerized prescribing alerts in ambulatory care. AMIA 2005;Annual Symposium Proceedings/AMIA Symposium.:1110.
122. Shamliyan TA, Duval S, Du J, Kane RL. Just what the doctor ordered. Review of the evidence of the impact of computerized physician order entry system on medication errors. Health Services Research 2008;43(1, Part 1):32-53.
123. Shirley KL. Effect of an automated dispensing system on medication administration time. American journal of health-system pharmacy : AJHP : official journal of the American Society of Health-System Pharmacists 1999;56(15):1542-5.
124. Sittig DF, Ash JS, Zhang J, Osheroff JA, Shabot MM. Lessons From "Unexpected Increased Mortality After Implementation of a Commercially Sold Computerized Physician Order Entry System". In: Pediatrics; 2006:797-801.
125. Sittig DF, Stead WW, Sittig DF, Stead WW. Computer-based physician order entry: the state of the art. Journal of the American Medical Informatics Association 1994;1(2):108-23.
126. Smith DH, Perrin N, Feldstein A, et al. The Impact of Prescribing Safety Alerts for Elderly Persons in an Electronic Medical Record: An Interrupted Time Series Evaluation. In: Archives of Internal Medicine; 2006:1098-104.
127. Tamblyn R, Huang A, Taylor L, et al. A randomized trial of the effectiveness of on-demand versus computer-triggered drug decision support in primary care. Journal of the American Medical Informatics Association 2008;15(4):430-8.
128. Teich JM, Merchia PR, Schmiz JL, Kuperman GJ, Spurr CD, Bates DW. Effects of Computerized Physician Order Entry on Prescribing Practices. In: Archives of Internal Medicine; 2000:2741-7.

129. Teich JM, Osheroff JA, Pifer EA, Sittig DF, Jenders RA, The CDSERP. Clinical decision support in electronic prescribing: recommendations and an action plan: report of the joint clinical decision support workgroup.[see comment]. *Journal of the American Medical Informatics Association* 2005;12(4):365-76.
130. Thomsen LA, Winterstein AG, Sondergaard B, Haugbolle LS, Melander A. Systematic review of the incidence and characteristics of preventable adverse drug events in ambulatory care.[see comment]. *Annals of Pharmacotherapy* 2007;41(9):1411-26.
131. Walsh KE, Landrigan CP, Adams WG, et al. Effect of Computer Order Entry on Prevention of Serious Medication Errors in Hospitalized Children. In: *Pediatrics*; 2008:e421-7.
132. Weingart SN, Toth M, Sands DZ, Aronson MD, Davis RB, Phillips RS. Physicians' decisions to override computerized drug alerts in primary care. *Archives of internal medicine* 2003;163(21):2625-31.
133. Weir CR, Staggers N, Phansalkar S. The state of the evidence for computerized provider order entry: A systematic review and analysis of the quality of the literature. *International Journal of Medical Informatics* 2009;In Press, Corrected Proof.
134. Welch WP, Bazarko D, Ritten K, Burgess Y, Harmon R, Sandy LG. Electronic Health Records in Four Community Physician Practices: Impact on Quality and Cost of Care. In: *Journal of the American Medical Informatics Association*; 2007:320-8.
135. Wetterneck TB, Skibinski KA, Roberts TL, et al. Using failure mode and effects analysis to plan implementation of smart i.v. pump technology. *American Journal of Health-System Pharmacy* 2006;63(16):1528-38.
136. Wilson K, Sullivan M. Preventing medication errors with smart infusion technology. *American journal of health-system pharmacy : AJHP : official journal of the American Society of Health-System Pharmacists* 2004;61(2):177-83.