



Declaration of Conformity

Certification No.: ATJC21082580004700R

Reference report No. : ATJC21082580004700R

Applicant : Redkey USB LTD

Address : Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Manufacturer : Redkey USB LTD

Address : Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Product Description : USB Flash Drive

Model : RKLEDV4UDP2ZN, RKLEDV4UDP3ZN, GKLEDV4UDP3ZN,
AULEDV4UDP3ZN, PLEDV4UDP3ZN, OLEDV4UDP3ZN,
MLEDV4UDP3ZN, WLEDV4UDP3ZN, QLEDV4UDP3ZN

Trademark : N/A

An independent evaluation on the above-mentioned product(s) has been conducted pursuant to EU 2015/863 with 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.

Test standard:

IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, IEC 62321-7-2:2017,
IEC 62321-6:2015, IEC 62321-8:2017



Authorized Signer:



Shenzhen An-Teng Testing Service Co., Ltd

Floor 5, No. 11, Hebei Industrial Zone, Hualian Community, Longhua Street, Longhua District, Shenzhen, China.

Tel: 86-755-2772452 Fax: 86-755-27724533 Web: www.antenglab.com



Report No.: ATJC21082580004700R

RoHS TEST REPORT

For

USB Flash Drive

Model No. : RKLEDV4UDP2ZN, RKLEDV4UDP3ZN, GKLEDV4UDP3ZN,
AULEDV4UDP3ZN, PLEDV4UDP3ZN, OLEDV4UDP3ZN,
MLEDV4UDP3ZN, WLEDV4UDP3ZN, QLEDV4UDP3ZN

Applicant : Redkey USB LTD

Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Manufacturer : Redkey USB LTD

Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Trademark : N/A

Issued By : Shenzhen An-Teng Testing Service Co., Ltd.

Floor 5, No. 11, Hebei Industrial Zone, Hualian Community, Longhua
Street, Longhua District, Shenzhen, China.

Tel : +86 755 27724522

Fax : +86 755 27724533

Report Number : ATJC21082580004700R


Date of Test : August 23 – August 25, 2021

Date of Report : August 25, 2021


Note:

This report shall not be reproduced except in full, without the written approval of Shenzhen An-Teng Testing Service Co., Ltd. This document may be altered or revised by Shenzhen An-Teng Testing Service Co., Ltd personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample.


1. Lead(Pb), Cadmium(Cd)




2. Mercury(Hg)



3. Hexavalent Chromium (Cr(VI))



4. Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers(PBDEs), DIBP, DBP, DEHP, BBP




Test Method:

Tested Item(s)	Test Method	Measured equipment(s)	Limits
Cadmium(Cd)	IEC 62321-5:2013	ICP-OES	0.01%(100 ppm)
Hexavalent chromium(Cr VI)	IEC 62321-7-1:2015 IEC 62321-7-2:2017	UV-Vis	0.1%(1000 ppm)
Mercury(Hg)	IEC 62321-4:2013+A1:2017	ICP-OES	0.1%(1000 ppm)
Lead(pb)	IEC 62321-5:2013	ICP-OES	0.1%(1000 ppm)
Polybrominated Biphenyls(PBBs)	IEC 62321-6:2015	GC-MS	0.1%(1000 ppm)
Polybrominated Diphenyl Ethers(PBDEs)	IEC 62321-6:2015	GC-MS	0.1%(1000 ppm)
Diisobutyl phthalate(DIBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Di-(2-ethylhexyl) phthalate (DEHP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Dibutyl phthalate (DBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Benzylbutyl phthalate (BBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)

Result	: Pass
Conclusion	: An independent evaluation on the above-mentioned product(s) has been conducted pursuant to EU 2015/863 with 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.
Model differences	: All models are the same except for the difference in appearance, size and power

Checked by



Cris Song / Engineer
August 25, 2021

Reviewed by



Test Data Summary


SAMP LE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusio n (P/F)
1	Metal Enclosure	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
2	PCB	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
3	USB	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
4	LED	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P


Note:

- (1) N.D. = Not detected (<MDL)
- (2) ppm = mg/kg
- (3) N.A. = Not Analyzed
- (4) Negative = the concentration of Hexavalent Chromium extracted from 50cm² sample is less than the detection limit.
- (5) Cadmium(Cd), Lead(Pb), Mercury(Hg), Hexavalent Chromium(Cr), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butyl benzyl phthalate (BBP), Di-(2-ethylhexyl) Phthalate(DEHP), Diisobutyl phthalate (DIBP).

Appendix 1

Photo documentation

<p>Photo 1</p> <p>View:</p> <p><input checked="" type="checkbox"/> Front</p> <p><input type="checkbox"/> Rear</p> <p><input type="checkbox"/> Right side</p> <p><input type="checkbox"/> Left side</p> <p><input type="checkbox"/> Top</p> <p><input type="checkbox"/> Bottom</p> <p><input type="checkbox"/> Internal</p>	
--	--



----- End of the report -----

Declaration of Conformity

Certification No.: ATJC21090980002700R

Reference report No. : ATJC21090980002700R

Applicant : Redkey USB LTD

Address : Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Manufacturer : Redkey USB LTD

Address : Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Product Description : USB Flash Drive

Model : RKUSBCV4PCBA3AL, BKUSBCV4PCBA3AL, GKUSBCV4PCBA3AL,
AUKUSBCV4PCBA3AL, PKUSBCV4PCBA3AL, OKUSBCV4PCBA3AL,
MKUSBCV4PCBA3AL, WKUSBCV4PCBA3AL, QKUSBCV4PCBA3AL

Trademark : N/A

An independent evaluation on the above-mentioned product(s) has been conducted pursuant to EU 2015/863 with 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.

Test standard:

IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, IEC 62321-7-2:2017,
IEC 62321-6:2015, IEC 62321-8:2017



Authorized Signer:



Shenzhen An-Teng Testing Service Co., Ltd

Floor 5, No. 11, Hebei Industrial Zone, Hualian Community, Longhua Street, Longhua District, Shenzhen, China.

Tel: 86-755-2772452 Fax: 86-755-27724533 Web: www.antenglab.com



Report No.: ATJC21090980002700R

RoHS TEST REPORT

For

USB Flash Drive

Model No. : RKUSBCV4PCBA3AL, BKUSBCV4PCBA3AL,
GKUSBCV4PCBA3AL, AUKUSBCV4PCBA3AL,
PKUSBCV4PCBA3AL, OKUSBCV4PCBA3AL,
MKUSBCV4PCBA3AL, WKUSBCV4PCBA3AL,
QKUSBCV4PCBA3AL

Applicant : Redkey USB LTD

Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Manufacturer : Redkey USB LTD

Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Trademark : N/A

Issued By : Shenzhen An-Teng Testing Service Co., Ltd.

Floor 5, No. 11, Hebei Industrial Zone, Hualian Community, Longhua
Street, Longhua District, Shenzhen, China.

Tel : +86 755 27724522

Fax : +86 755 27724533

Report Number : ATJC21090980002700R


Date of Test : Sep. 06 – Sep. 09, 2021

Date of Report : Sep. 09, 2021


Note:

This report shall not be reproduced except in full, without the written approval of Shenzhen An-Teng Testing Service Co., Ltd. This document may be altered or revised by Shenzhen An-Teng Testing Service Co., Ltd. personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample.


1. Lead(Pb), Cadmium(Cd)




2. Mercury(Hg)



3. Hexavalent Chromium (Cr(VI))



4. Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers(PBDEs), DIBP, DBP, DEHP, BBP




Test Method:

Tested Item(s)	Test Method	Measured equipment(s)	Limits
Cadmium(Cd)	IEC 62321-5:2013	ICP-OES	0.01%(100 ppm)
Hexavalent chromium(Cr VI)	IEC 62321-7-1:2015 IEC 62321-7-2:2017	UV-Vis	0.1%(1000 ppm)
Mercury(Hg)	IEC 62321-4:2013+A1:2017	ICP-OES	0.1%(1000 ppm)
Lead(pb)	IEC 62321-5:2013	ICP-OES	0.1%(1000 ppm)
Polybrominated Biphenyls(PBBs)	IEC 62321-6:2015	GC-MS	0.1%(1000 ppm)
Polybrominated Diphenyl Ethers(PBDEs)	IEC 62321-6:2015	GC-MS	0.1%(1000 ppm)
Diisobutyl phthalate(DIBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Di-(2-ethylhexyl) phthalate (DEHP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Dibutyl phthalate (DBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Benzylbutyl phthalate (BBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)

Result	:	Pass
Conclusion	:	An independent evaluation on the above-mentioned product(s) has been conducted pursuant to EU 2015/863 with 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.
Model differences	:	All models are the same except for the difference in appearance, size and power

Checked by



Cris Song / Engineer
Sep. 09, 2021

Reviewed by



Test Data Summary

SAMPLE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
1	Metal Material	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
2	Plastic Enclosure	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
3	USB	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
4	PCB	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P

SAMPLE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
5	LED	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P

Note:

(1) N.D. = Not detected (<MDL)

(2) ppm = mg/kg


(3) N.A. = Not Analyzed


(4) Negative = the concentration of Hexavalent Chromium extracted from 50cm² sample is less than the detection limit.

(5) Cadmium(Cd), Lead(Pb), Mercury(Hg), Hexavalent Chromium(Cr), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butyl benzyl phthalate (BBP), Di-(2-ethylhexyl) Phthalate(DEHP), Diisobutyl phthalate (DIBP).

Appendix 1

Photo documentation

<p>Photo 1</p> <p>View:</p> <p><input checked="" type="checkbox"/> Front</p> <p><input type="checkbox"/> Rear</p> <p><input type="checkbox"/> Right side</p> <p><input type="checkbox"/> Left side</p> <p><input type="checkbox"/> Top</p> <p><input type="checkbox"/> Bottom</p> <p><input type="checkbox"/> Internal</p>	
--	---

<p>Photo 2</p> <p>View:</p> <p><input type="checkbox"/> Front</p> <p><input checked="" type="checkbox"/> Rear</p> <p><input type="checkbox"/> Right side</p> <p><input type="checkbox"/> Left side</p> <p><input type="checkbox"/> Top</p> <p><input type="checkbox"/> Bottom</p> <p><input type="checkbox"/> Internal</p>	
--	--



----- End of the report -----



Declaration of Conformity

Certification No.: ATJC21091680004200R

Reference report No. : ATJC21091680004200R

Applicant : Redkey USB LTD

Address : Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Manufacturer : Redkey USB LTD

Address : Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Product Description : USB Flash Drive

Model : RKUSBV3UDP2AL, RKUSBV4UDP2AL, GKUSBV4UDP2AL,
PKUSBV4UDP2AL, OKUSBV4UDP2AL, MKUSBV4UDP2AL,
WKUSBV4UDP2AL, QKUSBV4UDP2AL

Trademark : N/A

An independent evaluation on the above-mentioned product(s) has been conducted pursuant to EU 2015/863 with 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.

Test standard:

IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, IEC 62321-7-2:2017,
IEC 62321-6:2015, IEC 62321-8:2017



Authorized Signer:



Shenzhen An-Teng Testing Service Co., Ltd

Floor 5, No. 11, Hebei Industrial Zone, Hualian Community, Longhua Street, Longhua District, Shenzhen, China.

Tel: 86-755-2772452 Fax: 86-755-27724533 Web: www.antenglab.com



Report No.: ATJC21091680004200R

RoHS TEST REPORT

For

USB Flash Drive

Model No. : RKUSBV3UDP2AL, RKUSBV4UDP2AL, GKUSBV4UDP2AL,
PKUSBV4UDP2AL, OKUSBV4UDP2AL, MKUSBV4UDP2AL,
WKUSBV4UDP2AL, QKUSBV4UDP2AL

Applicant : Redkey USB LTD

Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Manufacturer : Redkey USB LTD

Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Trademark : N/A

Issued By : Shenzhen An-Teng Testing Service Co., Ltd.

Floor 5, No. 11, Hebei Industrial Zone, Hualian Community, Longhua
Street, Longhua District, Shenzhen, China.

Tel : +86 755 27724522

Fax : +86 755 27724533

Report Number : ATJC21091680004200R


Date of Test : Sep. 16 – Sep. 22, 2021

Date of Report : Sep. 22, 2021


Note:

This report shall not be reproduced except in full, without the written approval of Shenzhen An-Teng Testing Service Co., Ltd. This document may be altered or revised by Shenzhen An-Teng Testing Service Co., Ltd personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample.


1. Lead(Pb), Cadmium(Cd)




2. Mercury(Hg)



3. Hexavalent Chromium (Cr(VI))



4. Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers(PBDEs), DIBP, DBP, DEHP, BBP



Test Method:

Tested Item(s)	Test Method	Measured equipment(s)	Limits
Cadmium(Cd)	IEC 62321-5:2013	ICP-OES	0.01%(100 ppm)
Hexavalent chromium(Cr VI)	IEC 62321-7-1:2015 IEC 62321-7-2:2017	UV-Vis	0.1%(1000 ppm)
Mercury(Hg)	IEC 62321-4:2013+A1:2017	ICP-OES	0.1%(1000 ppm)
Lead(pb)	IEC 62321-5:2013	ICP-OES	0.1%(1000 ppm)
Polybrominated Biphenyls(PBBs)	IEC 62321-6:2015	GC-MS	0.1%(1000 ppm)
Polybrominated Diphenyl Ethers(PBDEs)	IEC 62321-6:2015	GC-MS	0.1%(1000 ppm)
Diisobutyl phthalate(DIBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Di-(2-ethylhexyl) phthalate (DEHP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Dibutyl phthalate (DBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Benzylbutyl phthalate (BBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)

Result	:	Pass
Conclusion	:	An independent evaluation on the above-mentioned product(s) has been conducted pursuant to EU 2015/863 with 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.
Model differences	:	All models are the same except for the difference in appearance, size and power

Checked by



Cris Song / Engineer
Sep. 22, 2021

Reviewed by



Test Data Summary

SAMP LE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusio n (P/F)
1	Metal Enclosure	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
2	PCB	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
3	USB	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
4	LED	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P


Note:

- (1) N.D. = Not detected (<MDL)
- (2) ppm = mg/kg
- (3) N.A. = Not Analyzed
- (4) Negative = the concentration of Hexavalent Chromium extracted from 50cm² sample is less than the detection limit.
- (5) Cadmium(Cd), Lead(Pb), Mercury(Hg), Hexavalent Chromium(Cr), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butyl benzyl phthalate (BBP), Di-(2-ethylhexyl) Phthalate(DEHP), Diisobutyl phthalate (DIBP).

Appendix 1

Photo documentation

<p>Photo 1</p> <p>View:</p> <p><input checked="" type="checkbox"/> Front</p> <p><input type="checkbox"/> Rear</p> <p><input type="checkbox"/> Right side</p> <p><input type="checkbox"/> Left side</p> <p><input type="checkbox"/> Top</p> <p><input type="checkbox"/> Bottom</p> <p><input type="checkbox"/> Internal</p>	
--	--



----- End of the report -----



Declaration of Conformity

Certification No.: ATJC21091680004300R

Reference report No. : ATJC21091680004300R

Applicant : Redkey USB LTD

Address : Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Manufacturer : Redkey USB LTD

Address : Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Product Description : USB Flash Drive

Model : RKUSBV1UDP2FE, RKUSBV2UDP2FE, RKESDV2UDP2FE, RKUSBV3UDP2FE, RKUSBV4UDP2FE, BKUSBV1UDP3FE, BKUSBV2UDP3FE, BKUSBV4UDP3FE, GKUSBV1UDP3FE, GKUSBV2UDP3FE, GKUSBV4UDP3FE, AUUSBV4UDP3FE, PUSBV4UDP3FE, OUSBV4UDP3FE, MUSBV4UDP3FE, WUSBV4UDP3FE, QUSBV4UDP3FE

Trademark : N/A

An independent evaluation on the above-mentioned product(s) has been conducted pursuant to EU 2015/863 with 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.

Test standard:

IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-6:2015, IEC 62321-8:2017



Authorized Signer:



Shenzhen An-Teng Testing Service Co., Ltd

Floor 5, No. 11, Hebei Industrial Zone, Hualian Community, Longhua Street, Longhua District, Shenzhen, China.

Tel: 86-755-2772452 Fax: 86-755-27724533 Web: www.antenglab.com



Report No.: ATJC21091680004300R

RoHS TEST REPORT

For

USB Flash Drive

Model No. : RKUSBV1UDP2FE, RKUSBV2UDP2FE, RKESDV2UDP2FE,
RKUSBV3UDP2FE, RKUSBV4UDP2FE, BKUSBV1UDP3FE,
BKUSBV2UDP3FE, BKUSBV4UDP3FE, GKUSBV1UDP3FE,
GKUSBV2UDP3FE, GKUSBV4UDP3FE, AUUSBV4UDP3FE,
PUSBV4UDP3FE, OUSBV4UDP3FE, MUSBV4UDP3FE,
WUSBV4UDP3FE, QUSBV4UDP3FE

Applicant : Redkey USB LTD

Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Manufacturer : Redkey USB LTD

Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom

Trademark : N/A

Issued By : Shenzhen An-Teng Testing Service Co., Ltd.

Floor 5, No. 11, Hebei Industrial Zone, Hualian Community, Longhua Street, Longhua District, Shenzhen, China.

Tel : +86 755 27724522

Fax : +86 755 27724533

Report Number : ATJC21091680004300R


Date of Test : Sep. 16 – Sep. 22, 2021

Date of Report : Sep. 22, 2021


Note:

This report shall not be reproduced except in full, without the written approval of Shenzhen An-Teng Testing Service Co., Ltd. This document may be altered or revised by Shenzhen An-Teng Testing Service Co., Ltd personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample.


1. Lead(Pb), Cadmium(Cd)




2. Mercury(Hg)



3. Hexavalent Chromium (Cr(VI))



4. Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers(PBDEs), DIBP, DBP, DEHP, BBP



Test Method:

Tested Item(s)	Test Method	Measured equipment(s)	Limits
Cadmium(Cd)	IEC 62321-5:2013	ICP-OES	0.01%(100 ppm)
Hexavalent chromium(Cr VI)	IEC 62321-7-1:2015 IEC 62321-7-2:2017	UV-Vis	0.1%(1000 ppm)
Mercury(Hg)	IEC 62321-4:2013+A1:2017	ICP-OES	0.1%(1000 ppm)
Lead(pb)	IEC 62321-5:2013	ICP-OES	0.1%(1000 ppm)
Polybrominated Biphenyls(PBBs)	IEC 62321-6:2015	GC-MS	0.1%(1000 ppm)
Polybrominated Diphenyl Ethers(PBDEs)	IEC 62321-6:2015	GC-MS	0.1%(1000 ppm)
Diisobutyl phthalate(DIBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Di-(2-ethylhexyl) phthalate (DEHP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Dibutyl phthalate (DBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)
Benzylbutyl phthalate (BBP)	IEC 62321-8:2017	GC-MS	0.1%(1000 ppm)

Result	:	Pass
Conclusion	:	An independent evaluation on the above-mentioned product(s) has been conducted pursuant to EU 2015/863 with 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.
Model differences	:	All models are the same except for the difference in appearance, size and power

Checked by



Cris Song / Engineer
Sep. 22, 2021

Reviewed by



Test Data Summary

SAMP LE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusio n (P/F)
1	Metal Enclosure	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
2	PCB	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
3	USB	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P
4	LED	Cd	P	N.D.	<100	P
		Cr VI	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	D	N.D.	<1000	P
		PBDEs	D	N.D.	<1000	P
		DIBP	D	N.D.	<1000	P
		DEHP	D	N.D.	<1000	P
		DBP	D	N.D.	<1000	P
		BBP	D	N.D.	<1000	P


Note:

- (1) N.D. = Not detected (<MDL)
- (2) ppm = mg/kg
- (3) N.A. = Not Analyzed
- (4) Negative = the concentration of Hexavalent Chromium extracted from 50cm² sample is less than the detection limit.
- (5) Cadmium(Cd), Lead(Pb), Mercury(Hg), Hexavalent Chromium(Cr), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butyl benzyl phthalate (BBP), Di-(2-ethylhexyl) Phthalate(DEHP), Diisobutyl phthalate (DIBP).

Appendix 1

Photo documentation

<p>Photo 1</p> <p>View:</p> <p><input checked="" type="checkbox"/> Front</p> <p><input type="checkbox"/> Rear</p> <p><input type="checkbox"/> Right side</p> <p><input type="checkbox"/> Left side</p> <p><input type="checkbox"/> Top</p> <p><input type="checkbox"/> Bottom</p> <p><input type="checkbox"/> Internal</p>	
--	--



----- End of the report -----